

SCHEDULE OF DOORS, WINDOWS & VENTILATORS

SL.NO.	TYPE	SIZE	SOFFIT LVL. FROM F.F.L. BEAM / LINTEL	SPECIFICATION
1	D1	1000X2100	+2100 FROM F.F.L.	FRAME:- 75 X 125 2ND CLASS TEAK WOOD SHUTTER:- 35 MM THICK FLUSH DOOR NON DECORATIVE TYPE . (SINGLE LEAF)
2	D2	1500X2250	+2250 FROM F.F.L.	FRAME:- 75 X 125 2ND CLASS TEAK WOOD SHUTTER:- 35 MM THICK FLUSH DOOR DECORATIVE TYPE . (DOUBLE LEAF)
3	D3	750x2100	+2100 FROM F.F.L.	FRAME:- P.V.C. SHUTTER:- P.V.C
4	D4	750x2100	+2100 FROM F.F.L.	FRAME:- P.V.C. (SWING DOOR) SHUTTER:- P.V.C
5	D5	1500X2400	+2400 FROM F.F.L.	FRAME:- 75 X 125 2ND CLASS TEAK WOOD SHUTTER:- 35 MM THICK FLUSH DOOR DECORATIVE TYPE . (DOUBLE LEAF)
6	W1	1700X1500	+2250	FRAME:- ANODISED ALUMINIUM. SHUTTER:- FULLY GLAZED SLIDING SHUTTER IN ANODISED ALUMINIUM SECTION WITH M. S. GRILL IN BETWEEN.
7	W2	2100X1500	+2250	FRAME:- ANODISED ALUMINIUM. SHUTTER:- FULLY GLAZED SLIDING SHUTTER IN ANODISED ALUMINIUM SECTION WITH M. S. GRILL IN BETWEEN.
8	W3	2225X1500	+2250	FRAME:- ANODISED ALUMINIUM. SHUTTER:- FULLY GLAZED SLIDING SHUTTER IN ANODISED ALUMINIUM SECTION WITH M. S. GRILL IN BETWEEN.
9	W4	2400X1500	+2250	FRAME:- ANODISED ALUMINIUM. SHUTTER:- FULLY GLAZED SLIDING SHUTTER IN ANODISED ALUMINIUM SECTION WITH M. S. GRILL IN BETWEEN.
10	W5	2500X1500	+2250	FRAME:- ANODISED ALUMINIUM. SHUTTER:- FULLY GLAZED SLIDING SHUTTER IN ANODISED ALUMINIUM SECTION WITH M. S. GRILL IN BETWEEN.
11	W6	3100X1500	+2250	FRAME:- ANODISED ALUMINIUM. SHUTTER:- FULLY GLAZED SLIDING SHUTTER IN ANODISED ALUMINIUM SECTION WITH M. S. GRILL IN BETWEEN.
12	W7	3300X1500	+2250	FRAME:- ANODISED ALUMINIUM. SHUTTER:- FULLY GLAZED SLIDING SHUTTER IN ANODISED ALUMINIUM SECTION WITH M. S. GRILL IN BETWEEN.
13	W8	1100X1500	+2250	FRAME:- ANODISED ALUMINIUM. SHUTTER:- FULLY GLAZED SLIDING SHUTTER IN ANODISED ALUMINIUM SECTION WITH M. S. GRILL IN BETWEEN.
14	W9	1500X1500	+2250	FRAME:- ANODISED ALUMINIUM. SHUTTER:- FULLY GLAZED SLIDING SHUTTER IN ANODISED ALUMINIUM SECTION WITH M. S. GRILL IN BETWEEN.
15	W10	2200X1500	+2250	FRAME:- ANODISED ALUMINIUM. SHUTTER:- FULLY GLAZED SLIDING SHUTTER IN ANODISED ALUMINIUM SECTION WITH M. S. GRILL IN BETWEEN.
16	W11	7385X2800	+3100	CURTAIN WALL.

SCHEDULE OF DOORS, WINDOWS & VENTILATORS

SL.NO.	TYPE	SIZE	SOFFIT LVL. FROM F.F.L. BEAM / LINTEL	SPECIFICATION
17	WT1	600X1050	+2250	FRAME:- ANODISED ALUMINIUM. SHUTTER:- FULLY GLAZED CASEMENT SHUTTER IN ANODISED ALUMINIUM SECTION WITH M. S. GRILL IN BETWEEN.
18	WT2	1925X1050	+2250	FRAME:- ANODISED ALUMINIUM. SHUTTER:- FULLY GLAZED SLIDING SHUTTER IN ANODISED ALUMINIUM SECTION WITH M. S. GRILL IN BETWEEN.
19	WS	2000X12000	+12650 (FROM 1ST LANDING)	CURTAIN WALL.
20	W12	1800X1500	+2250	FRAME:- ANODISED ALUMINIUM. SHUTTER:- FULLY GLAZED SLIDING SHUTTER IN ANODISED ALUMINIUM SECTION WITH M. S. GRILL IN BETWEEN.
21	W13	600X1500	+2250	FRAME:- ANODISED ALUMINIUM. SHUTTER:- FULLY GLAZED CASEMENT SHUTTER IN ANODISED ALUMINIUM SECTION WITH M. S. GRILL IN BETWEEN.

FLOOR FINISH SCHEDULE:-

SL.NO.	FLOORING / SKIRTING / DADO	AREA OF APPLICATION
A. FLOORING		
1.	ANTISKID TILES	ALL TOILET.
2.	MARBLE SLAB	ENTRANCE VERANDAH, ENTRANCE STEP & STAIRCASE
3.	VITRIFIED TILES	ALL AREA EXCEPT ABOVE
B. SKIRTING/DADO		
1.	MARBLE SLAB	ENTRANCE VERANDAH, ENTRANCE STEP & STAIRCASE
2.	CERAMIC GLAZED WALL TILES UPTO A HEIGHT OF 2.0M FROM FINISH FLOOR LEVEL	TOILET.
3.	VITRIFIED TILES	ALL AREA EXCEPT ABOVE

NOTE:-

1. ALL DIMENSIONS ARE IN MM UNLESS OTHERWISE MENTIONED.
2. THIS DRAWING SHALL BE READ IN CONJUNCTION WITH RELEVANT DETAIL STRUCTURAL, ARCHITECTURAL AND SERVICES DRAWING, ANY DISCREPANCY FOUND, SHALL BE BROUGHT TO THE NOTICE OF THE CONSULTANT ARCHITECT.

REV	DATE	REVISION PARTICULARS	SIGN
0	10-07-2022	ISSUED FOR CONSTRUCTION	

WORK:-

**PROPOSED ACADEMIC BUILDING,
BLOCK-II,
AT
ATUATIKA, RAIDONGIA,
NAGAON, ASSAM
FOR
MAHAPURUSHA SRIMANTA SANKARADEVA
VISWAVIDYALAYA (MSSV)
AT H. B. ROAD. KALONGPAR, NAGAON,
PIN-782001:ASSAM:INDIA**

DRAWING:-

**SCHEDULE OF DOORS,
WINDOWS & FLOOR FINISH**

PROJECT ARCHITECT:-

INTEGRATED DESIGN FORUM

ARCHITECT, HRIDAI KR. NATH
COUNCIL OF ARCHITECTURE REGD. NO. CA/2013/24079
15, 2ND FLOOR, ABOVE MIRA MUSICAL MART, RAJGARH MAIN RODA,
CHANDMARI, GUWAHTI, ASSAM.
PHONE : +91 78961 89205, +91 70024 02930
email id: hridai.dbpl@gmail.com

DRAWN	CHECKED	DATE	SCALE	DRG NO
RIJUMONI	AR. HRIDAI	10-07-2022	SCALE TO FIT	IDF/AD-17
				REV-00